

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3515	361/42,45-46,93.1,93.5,93.6,104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/07/14 18:49
S2	51	((reset same pin) and latch) and S1	USPAT	OR	OFF	2005/06/15 18:14
S3	20	((reset same shaft) and latch) and S1	USPAT	OR	OFF	2005/05/12 16:16
S4	16	"6246558"	USPAT	OR	OFF	2005/05/13 09:40
S5	7	"6381112"	USPAT	OR	OFF	2005/05/13 09:40
S6	6	(latch same close) and "6381112"	USPAT	OR	OFF	2005/06/06 16:29
S7	4	(reset same prevention) and 361/42,45-46,93.1,93.5,93.6,104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/05/13 10:02
S8	16	"6246558"	USPAT	OR	OFF	2005/05/19 10:40
S9	1641	((reset same pin) and latch) and plate	USPAT	OR	OFF	2005/05/13 13:45
S10	3515	361/42,45-46,93.1,93.5,93.6,104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/05/13 13:45
S11	51	((reset same pin) and latch) and S10	USPAT	OR	OFF	2005/05/13 15:32
S14	5	S11 and (locking same plate)	USPAT	OR	OFF	2005/05/13 15:32
S15	19	"4568997"	USPAT	OR	OFF	2005/05/16 09:39
S16	3515	361/42,45-46,93.1,93.5,93.6,104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/05/16 10:20
S17	51	((reset same pin) and latch) and S16	USPAT	OR	OFF	2005/05/16 10:02
S19	1	((LED and light) same (color and red)) and S17	USPAT	OR	OFF	2005/05/16 10:16
S20	1	((LED and light) same (color same red same green)) and S17	USPAT	OR	OFF	2005/05/16 10:16
S21	8	((LED and light) same (color same red same green)) and S16	USPAT	OR	OFF	2005/05/16 10:17
S22	748	indicator and S16	USPAT	OR	OFF	2005/05/16 10:21
S23	488	light and S22	USPAT	OR	OFF	2005/05/16 10:21
S24	4	(red same green) and ((two color) and (bicolor)) and S22	USPAT	OR	OFF	2005/05/16 10:30
S25	43	"6040967"	USPAT	OR	OFF	2005/05/16 10:31
S26	17	("5185684"   "5223795"   "5452222"   "5537327"   "5847913"   "5875087"   "5963406"   "6031699"   "6040967"   "6052046"   "6084756"   "6191589"   "6198611"   "6215378"   "6229679"   "6229680"   "6232857").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 10:32
S27	688	leviton	USPAT	OR	OFF	2005/05/16 13:16

S28	68	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls. and leviton	USPAT	OR	OFF	2005/05/16 13:43
S29	52	"4,595,894"	USPAT	OR	OFF	2005/05/16 13:18
S30	19	(LED same light) and S28	USPAT	OR	OFF	2005/05/16 13:19
S31	3515	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/05/16 13:22
S32	1406	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls. and (bicolor same light emitting diode)	USPAT	OR	OFF	2005/05/16 13:44
S33	410	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls. and (bicolor same light emitting diode) and LED	USPAT	OR	OFF	2005/05/16 13:52
S34	79	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls. and (bicolor same light emitting diode) and LED and red	USPAT	OR	OFF	2005/05/16 13:52
S35	0	(alarm and lamp and indicator) same (two color) and (dual color) and bicolor	USPAT	OR	OFF	2005/05/16 14:22
S36	0	(alarm and lamp and indicator) same (two color) and (dual color) and bicolor same LED	USPAT	OR	OFF	2005/05/16 14:22
S37	215	(alarm and lamp and indicator) same (bicolor LED)	USPAT	OR	OFF	2005/05/16 14:23
S38	143	groud fault and S37	USPAT	OR	OFF	2005/05/16 14:22
S39	2	S38 and GFCI	USPAT	OR	OFF	2005/05/16 14:24
S40	392550	bicolor and dual color	USPAT	OR	OFF	2005/05/16 15:25
S41	2685	((lamp and light) same (LED)) and S40	USPAT	OR	OFF	2005/05/16 15:25
S42	228	(indicator and ground) and S41	USPAT	OR	OFF	2005/05/16 15:26
S43	2	"6697238"	USPAT	OR	OFF	2005/06/08 11:10
S44	1	((latching and closing) same opening) and S43	USPAT	OR	OFF	2005/05/17 10:05
S45	2	(latching and closing) and S43	USPAT	OR	OFF	2005/05/17 10:05
S46	1	"6724590"	USPAT	OR	OFF	2005/05/18 14:37
S47	19	"4568997"	USPAT	OR	OFF	2005/05/17 16:23
S48	16	"6246558"	USPAT	OR	OFF	2005/05/18 14:37
S49	19	"4568997"	USPAT	OR	OFF	2005/05/20 11:34
S55	2	"6522510"	USPAT	OR	OFF	2005/05/20 11:43

S56	159	"6,522,510" "6,456,471" "6,422,007" "6,252,407" "5,847,913" "6,424,136" "6,421,214" "5,546,266" "6,437,700" "4,969,063" "5,600,524" "6,111,733" "5,963,408" "5,363,269" "5,793,587" "5,541,800" "6,590,753" "6,587,319"	USPAT	OR	OFF	2005/05/20 12:48
S59	18	US-6522510-\$.DID. OR US-6456471-\$.DID. OR US-6422007-\$.DID. OR US-6252407-\$.DID. OR US-5847913-\$.DID. OR US-6424136-\$.DID. OR US-6421214-\$.DID. OR US-5546266-\$.DID. OR US-6437700-\$.DID. OR US-4969063-\$.DID. OR US-5600524-\$.DID. OR US-6111733-\$.DID. OR US-5963408-\$.DID. OR US-5363269-\$.DID. OR US-5793587-\$.DID. OR US-5541800-\$.DID. OR US-6590753-\$.DID. OR US-6587319-\$.DID.	USPAT	OR	OFF	2005/05/20 13:00
S73	17	"4574324"	USPAT	OR	OFF	2005/06/09 16:13
S74	791	reset near3 plate	USPAT	OR	OFF	2005/06/09 16:14
S75	25	reset near3 plate and "361"/\$.ccls.	USPAT	OR	OFF	2005/06/24 13:05
S76	23	reset near3 plate and "361"/\$.ccls. and @pd<"20020501"	USPAT	OR	OFF	2005/06/09 16:27
S77	710	reset near3 plate and @pd<"20020501"	USPAT	OR	OFF	2005/06/09 16:27
S78	710	(reset near3 plate) and @pd<"20020501"	USPAT	OR	OFF	2005/06/09 16:28
S79	41	(reset near3 plate) and ("361"/\$.ccls. "340"/\$.ccls.) and @pd<"20020501"	USPAT	OR	OFF	2005/06/14 17:08
S80	17	"6246558"	USPAT	OR	OFF	2005/06/15 15:17
S81	1	"6724590"	USPAT	OR	OFF	2005/06/15 18:29
S82	12	"5235974"	USPAT	OR	OFF	2005/06/15 13:06
S83	0	"76073450"	USPAT	OR	OFF	2005/06/15 13:06
S84	99288	transformer	USPAT	OR	OFF	2005/06/15 13:25
S85	2	"6697238"	USPAT	OR	OFF	2005/06/15 15:17
S86	24	"5202662"	USPAT	OR	OFF	2005/06/16 14:58
S87	2	"6697238"	USPAT	OR	OFF	2005/06/16 14:34
S88	2	"6522510"	USPAT	OR	OFF	2005/06/16 14:34
S89	24	"5202662"	USPAT	OR	OFF	2005/06/16 14:58

S90	2	S89 and fuse	USPAT	OR	OFF	2005/06/16 14:58
S91	3524	361/42,45-46,93.1,93.5,93.6, 104;340/635,638,653.ccls.	USPAT	OR	OFF	2005/06/16 16:07
S92	761	S91 and fuse	USPAT	OR	OFF	2005/06/16 16:07
S93	83	S92 and (blow and blown)	USPAT	OR	OFF	2005/06/16 16:08
S94	22	S93 and test	USPAT	OR	OFF	2005/06/16 16:08
S95	1	"6381112".PN.	USPAT; USOCR	OR	OFF	2005/06/16 16:18
S96	1	"4595894".PN.	USPAT; USOCR	OR	OFF	2005/06/16 16:22
S97	1	"5224006".PN.	USPAT; USOCR	OR	OFF	2005/06/16 16:22
S98	17	("4595894"   "5224006"   "5459630"   "5691869"   "5889643"   "5982593"   "6040967"   "6215378"   "6246558"   "6282070"   "6285534"   "6288882"   "6309248"   "6381112"   "6417671"   "6552549"   "6593751").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:22
S99	83575	"17" and fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:23
S10 0	1	S98 and fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:24
S10 1	127	GFCI AND FUSE	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:24
S10 2	90	S101 and test	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:24
S10 3	2461	(blown and blow) same fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 18:39
S10 4	6	S103 and S102	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:25
S10 5	2461	(blown and blow) same fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 18:39
S10 6	244	S105 and (ground and fault)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 18:39
S10 7	135	S105 and (ground same fault)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 18:40

S108	47	S107 and test	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 18:41
S109	1	"6856498"	USPAT	OR	OFF	2005/06/24 13:08
S110	1	"6,856,498"	USPAT	OR	OFF	2005/07/13 15:09
S111	658	sherry.xa.	USPAT	OR	OFF	2005/06/27 10:56
S112	104	(status indicator) same (button with pop)	USPAT	OR	OFF	2005/07/13 15:10
S113	3	S112 and overcurrent	USPAT	OR	OFF	2005/07/13 16:20
S114	14	S112 and (arc fault)	USPAT	OR	OFF	2005/07/13 15:14
S115	1	S112 and (arc with fault)	USPAT	OR	OFF	2005/07/13 15:27
S116	3994	(pop with up) and (arc near\$4 fault)	USPAT	OR	OFF	2005/07/13 15:27
S117	443	(pop with up) same (arc near\$4 fault)	USPAT	OR	OFF	2005/07/13 15:27
S118	1	(pop with up) same (arc with fault)	USPAT	OR	OFF	2005/07/13 15:29
S119	2	(pop with up) same (arc same fault)	USPAT	OR	OFF	2005/07/13 15:54
S120	21	"5886861"	USPAT	OR	OFF	2005/07/13 15:54
S121	15	"5182464"	USPAT	OR	OFF	2005/07/13 16:26
S122	1	S121 and overcurrent	USPAT	OR	OFF	2005/07/13 16:22
S123	6	S121 and (overcurrent fault)	USPAT	OR	OFF	2005/07/13 16:22
S124	0	S121 and (overcurrent with fault)	USPAT	OR	OFF	2005/07/13 16:22
S125	1062	overcurrent with fault	USPAT	OR	OFF	2005/07/13 16:23
S126	86	(overcurrent with fault) same (arc)	USPAT	OR	OFF	2005/07/13 17:54
S127	15	"4822983"	USPAT	OR	OFF	2005/07/13 17:02
S128	6	"5966281"	USPAT	OR	OFF	2005/07/13 17:04
S129	17	"6198611"	USPAT	OR	OFF	2005/07/13 17:04

S13 0	6	"5966281"	USPAT	OR	OFF	2005/07/13 18:04
S13 1	128	"5224006"	USPAT	OR	OFF	2005/07/13 18:04
S13 2	283	arc adj fault	USPAT	OR	OFF	2005/07/14 18:50
S13 3	102489	"8" same (short shorted crowbar overcurrent)	USPAT	OR	OFF	2005/07/14 18:50
S13 4	274552	"1" same (short shorted crowbar overcurrent)	USPAT	OR	OFF	2005/07/14 18:50
S13 5	101	S132 same (short shorted crowbar overcurrent)	USPAT	OR	OFF	2005/07/14 18:50
S13 6	8	S135 same (switch and breaker)	USPAT	OR	OFF	2005/07/14 18:51
S13 7	275	S132 and ((circuit breaker) same (overcurrent fault))	USPAT	OR	OFF	2005/07/14 18:52
S13 8	65	S137 and (create and cause)	USPAT	OR	OFF	2005/07/14 18:55
S13 9	15	"4822983"	USPAT	OR	OFF	2005/07/14 18:55
S14 0	12	("2581212"   "2846559"   "3375477"   "3628093"   "4436986"   "4439801"   "4575620"   "4591700"   "4607154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 11:46
S14 1	9	("4822983"   "5224006"   "5966281"   "6198611"   "4436986"   "4439801"   "4575620"   "4591700"   "4607154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 12:44
S14 2	3	S141 and (arc adj fault)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 13:02
S14 3	3	S142 and (circuit same breaker)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 13:05
S14 4	0	S143 and indicator	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 13:04
S14 5	3	S143 and current	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 13:38
S14 6	4	"0510795"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/07/15 13:39
S14 7	0	"0510795"	EPO	OR	OFF	2005/07/15 13:39

S14 8	1	"510795"	EPO	OR	OFF	2005/07/15 13:46
S14 9	6	"8663"	EPO; JPO; DERWENT	OR	OFF	2005/07/15 13:46
S15 0	270	"8663"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 13:46
S15 1	98	"8663" and WO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 13:46